



# Table of Contents

<b><u>Linux Quake How-To</u></b> .....	<b>1</b>
Author: Steven A Version: 2.04 Last updated: 22 November, 2006.....	1
<u>1. Introduction</u> .....	1
<u>2. General Info</u> .....	1
<u>3. Game Engines</u> .....	1
<u>4. Mods</u> .....	1
<u>5. Multiplayer</u> .....	1
<u>6. Trouble-shooting</u> .....	2
<u>7. Quake Sequels</u> .....	2
<u>8. Other</u> .....	2
<u>1. Introduction</u> .....	3
<u>1.1 Preamble</u> .....	3
<u>1.2 About</u> .....	3
<u>1.3 Notation</u> .....	3
<u>2. General Info</u> .....	3
<u>2.1 Getting Started</u> .....	3
<u>2.2 Command Line Options</u> .....	4
<u>2.3 Game Console Commands</u> .....	5
<u>3. Game Engines</u> .....	6
<u>3.1 TyrQuake</u> .....	6
<u>3.2 Darkplaces</u> .....	7
<u>3.3 QuDos Quake Ports</u> .....	7
<u>3.4 MFCN's GLQuake</u> .....	8
<u>3.5 Tenebrae</u> .....	8
<u>3.6 QuakeForge</u> .....	8
<u>3.7 NPRQuake</u> .....	9
<u>3.8 Twilight Project</u> .....	9
<u>3.9 SDL Quake</u> .....	10
<u>3.10 wmQuake</u> .....	10
<u>3.11 Software Quake</u> .....	10
<u>4. Mods</u> .....	11
<u>4.1 Mods</u> .....	11
<u>4.2 Commercial Mods</u> .....	12
<u>4.3 Mapping tools</u> .....	12
<u>5. Multiplayer</u> .....	13
<u>5.1 QuakeWorld</u> .....	13
<u>5.2 FuhQuake</u> .....	13
<u>5.3 XQF and QStat</u> .....	13
<u>5.4 Nexuiz</u> .....	13
<u>5.5 Digital Paint 2</u> .....	14
<u>5.6 Argonium</u> .....	14
<u>5.7 ProQuake</u> .....	14
<u>5.8 Tremulous</u> .....	14
<u>5.9 Battle Mech</u> .....	15
<u>6. Trouble-shooting</u> .....	15
<u>6.1 Bash won't start the program</u> .....	15
<u>6.2 Program dies at startup</u> .....	15
<u>6.3 Program dies loading level</u> .....	16

# Table of Contents

## **Linux Quake How-To**

<u>6.4 Sound Problems</u> .....	16
<u>6.5 Compilation Issues</u> .....	17
<u>GCC-4.x</u> .....	17
<u>Nvidia Drivers</u> .....	17
<u>6.6 Other Issues</u> .....	18
<u>6.7 Video Drivers</u> .....	19
<u>6.8 Sound Drivers</u> .....	19
<u>7. Quake Sequels</u> .....	20
<u>7.1 Hexen II</u> .....	20
<u>7.2 Quake II</u> .....	20
<u>7.3 Quake III Arena</u> .....	20
<u>7.4 Quake IV</u> .....	21
<u>8. Other</u> .....	22
<u>8.1 Transparent Water and Vispatch</u> .....	22
<u>8.2 Nvidia Tweaks</u> .....	22
<u>8.3 FreeBSD</u> .....	23
<u>8.4 QNX</u> .....	23
<u>8.5 Quake Inspired XTerms</u> .....	23
<u>8.6 Miscellaneous</u> .....	23
<u>8.7 Quotes</u> .....	24
<u>8.8 Links</u> .....	25
<u>8.9 Glossary</u> .....	25
<u>8.10 Credits</u> .....	26
<u>8.11 Todo</u> .....	27
<u>8.12 Changelog</u> .....	27
<u>8.13 License</u> .....	27
<u>8.14 Other Formats</u> .....	27
<u>8.15 Author</u> .....	27

# Linux Quake How-To

**Author: Steven A**

**Version: 2.04**

**Last updated: 22 November, 2006**

---

*This document is a modern guide to id Software's Quake game, with some information about QuakeWorld , Quake II, III and IV.*

---

## **1. Introduction**

- 1.1 [Preamble](#)
- 1.2 [About](#)
- 1.3 [Notation](#)

## **2. General Info**

- 2.1 [Getting Started](#)
- 2.2 [Command Line Options](#)
- 2.3 [Game Console Commands](#)

## **3. Game Engines**

- 3.1 [TyrQuake](#)
- 3.2 [Darkplaces](#)
- 3.3 [QuDos Quake Ports](#)
- 3.4 [MFCN's GLQuake](#)
- 3.5 [Tenebrae](#)
- 3.6 [QuakeForge](#)
- 3.7 [NPRQuake](#)
- 3.8 [Twilight Project](#)
- 3.9 [SDL Quake](#)
- 3.10 [wmQuake](#)
- 3.11 [Software Quake](#)

## **4. Mods**

- 4.1 [Mods](#)
- 4.2 [Commercial Mods](#)
- 4.3 [Mapping tools](#)

## **5. Multiplayer**

- 5.1 [QuakeWorld](#)

- 5.2 [FuhQuake](#)
- 5.3 [XOF and QStat](#)
- 5.4 [Nexuiz](#)
- 5.5 [Digital Paint 2](#)
- 5.6 [Argonium](#)
- 5.7 [ProQuake](#)
- 5.8 [Tremulous](#)
- 5.9 [Battle Mech](#)

## 6. [Trouble-shooting](#)

- 6.1 [Bash won't start the program](#)
- 6.2 [Program dies at startup](#)
- 6.3 [Program dies loading level](#)
- 6.4 [Sound Problems](#)
- 6.5 [Compilation Issues](#)
- 6.6 [Other Issues](#)
- 6.7 [Video Drivers](#)
- 6.8 [Sound Drivers](#)

## 7. [Quake Sequels](#)

- 7.1 [Hexen II](#)
- 7.2 [Quake II](#)
- 7.3 [Quake III Arena](#)
- 7.4 [Quake IV](#)

## 8. [Other](#)

- 8.1 [Transparent Water and Vispatch](#)
  - 8.2 [Nvidia Tweaks](#)
  - 8.3 [FreeBSD](#)
  - 8.4 [QNX](#)
  - 8.5 [Quake Inspired XTerms](#)
  - 8.6 [Miscellaneous](#)
  - 8.7 [Quotes](#)
  - 8.8 [Links](#)
  - 8.9 [Glossary](#)
  - 8.10 [Credits](#)
  - 8.11 [Todo](#)
  - 8.12 [Changelog](#)
  - 8.13 [License](#)
  - 8.14 [Other Formats](#)
  - 8.15 [Author](#)
-

# 1. Introduction

## 1.1 Preamble

Linux Quake sits at the crossroads of two computing revolutions – GNU/Linux, the popular free operating system, and GLQuake, the first "first person shooter" to use the 3D graphics library OpenGL. Quake has a loyal community still making games ten years after it's release by ID Software, and thanks to John Carmack releasing the software under the GPL, people are able to enjoy it on non–proprietary platforms.

Does all this mean our game is important ? No... It's just fun ;–)

## 1.2 About

This document is a guide to installing Quake and it's many related games and modifications. It includes compilation notes, tips and pointers to the best web resources, as well as some information about Quake II, III and IV.

## 1.3 Notation

In some places, a shorthand is used to represent changes to a program's source code. This is of the form:

```
- code to be removed  
+ code to be inserted in its place
```

and is similar to the output of the GNU "diff" program when generating unified patches.

Where the term "\$PWD" is used, the user should already have executed the command **cd {Linux Quake directory}**, and have this as their current directory.

---

# 2. General Info

## 2.1 Getting Started

Installing Quake requires a few basic steps.

### **Get the Game Data Files**

Getting the game data files is normally done by installing the game (or game demo) using Microsoft Windows, or an emulator such as Wine or Dosbox, and then copying the **id1** directory of the installed game to your Linux Quake directory – making sure all files are in lowercase.

Alternatively, you can use the lha utility to extract the data files. For early CDs, you must first

---

```
cat /mnt/cdrom/quake101.1 /mnt/cdrom/quake101.2 > resource.1
```

---

Once you have the resource.1 file, then type

---

```
cd /usr/local/games/quake  
lha e {some directory}/resource.1
```

---

---

Later versions of the game, including WinQuake, come with the data files in an uncompressed form and the **idl** directory can be directly copied from the CD.

### Install a Quake Executable

The program you execute to run Quake is known as the game engine. There are several to choose from, but the simplest choice is either the author's patched TyrQuake, or Jörgen's GLQuake. After downloading or compiling a game engine, place this binary in your Quake directory alongside the **idl** directory.

### Summary

Finally, you should have a directory structure similar to this, with all files being in lowercase:

```
/usr/local/games/quake +- glquake.glx (or another game engine)
                        |
                        +- idl  +- config.cfg
                           |
                           +- game.dat
                           |
                           +- pak0.pak
                           |
                           +- pak1.pak
```

Now, from an xterm window, type (for example)

---

```
./glquake.glx -fullscreen -width 800 -height 600
```

---

to start the game.

### Help

This sounds simple, but if you are new to Linux and you are not familiar with the command line, try one of these links for more information:

- ◊ [Trouble-shooting](#) section
- ◊ The [old version](#) of this how-to
- ◊ [Linuxgamers Quake howto](#)
- ◊ [Quake wiki](#)
- ◊ [The Linux Game Tome](#)

## 2.2 Command Line Options

Command Line Options are extra parameters that are typed on the Linux command line following the program's name. Quake has a large number of them, some of which vary from engine to engine. The most useful/common ones are:

#### **-window**

Run the game in windowed mode

#### **-fullscreen**

Run the game in fullscreen mode

#### **-game NAME**

Load the mod NAME.

#### **-mem N**

Reserve N megabytes of memory for the internal heap. This generally defaults to 8 or 16 meg, but must be increased when playing larger mods.

#### **-width WIDTH**

- window/fullscreen width
- height HEIGHT**  
    window/fullscreen height
- basedir DIRECTORY**  
    Use this directory by default
- sndspeed MHz**  
    Set sound sampling rate (eg. 44100, 22050, 11025)
- sndbits N**  
    Set sound bits to N = 8 or 16
- nosound**  
    Disable sound. Necessary when sound is absent/unconfigured to stop the game from crashing.
- nomtex**  
    Disable GL multitextures.
- listen N**  
    Allow a maximum of N players/bots to join multiplayer games.
- cddev DEVICE**  
    Use DEVICE for playing the cd music
- nocdaudio**  
    Disable cd audio

You can also append Quake commands to the Linux command line by prefixing them with a plus sign. For example, to automatically start a new game at hard skill, use

---

```
glquake.glx +skill 2 +map e1m1
```

---

## 2.3 Game Console Commands

For more info see <http://www.planetquake.com/console/commands/quake.html>

The console is an in-game command line at which you can issue commands, change variables and cheat. It is toggled by pressing the tilde "~" key when in a game. The main commands include –

- god**  
    Invulnerability
- noclip**  
    Walk through walls
- notarget**  
    Enemies won't attack player
- timedemo DEMO**  
    Play DEMO (eg. "demo1") at top speed and show frame rate
- impulse N**  
    Issue "impulse N"

These are in-game commands which can be given special uses. The most common cheat is **impulse 9** which gives all weapons.

- bind key "COMMAND"**  
    Bind a key to perform a command
- map MAP**  
    Load MAP
- changelevel MAP**



Load MAP without resetting player settings

**quit**  
Exit to system

**skill VALUE**  
value = 0 (easy) – 3 (impossible)

Degree of difficulty. Level must be restarted to take effect

**r\_wateralpha VALUE**  
value = 0.0 – 1.0

Opacity of water in maps with transparent water support (See [Watervis](#))

**\_snd\_mixahead VALUE**  
value = 0.1 – 1.0

Raising this value is a good way to speed up the game at the expense of some sound lag. I use 0.3 on my slower computers

**gl\_texturemode VALUE**  
value = gl\_nearest | gl\_nearest\_mipmap\_nearest | gl\_linear\_mipmap\_nearest | gl\_linear\_mipmap\_linear

Worst to best texture quality.

**r\_shadows FLAG**  
flag = 0 | 1

Display model shadows

**vid\_wait FLAG**  
flag = 0 | 1

Sync video output with screen refresh

**chase\_active FLAG**  
flag = 0 | 1

Show player from third person perspective

---

## 3. Game Engines

### 3.1 TyrQuake

TyrQuake is a fairly complete project including OpenGL, Software Quake and QuakeWorld clients, and other tools including the popular TyrLite. Tyrann's focus is on a fully featured but minimalist engine for Windows and Linux. A new feature is command line completion. Pressing the **tab** key at the console will automatically complete the current command or mapname – similar to the Linux shell, Bash.

Currently at version 0.54, TyrQuake now compiles out of the box on all systems I've tested :-)  
Typing **make** will build all the clients, but to compile only the single player client, after unpacking the source code, type:

```
make prepare
make tyr-glquake
```

Alternatively, for a more verbose make process, use:

```
make tyr-glquake V=1
```

A patched TyrQuake binary is available [here](#).

<http://disenchant.net/engine.html>

## 3.2 Darkplaces

Darkplaces is an amazing Quake engine with a great range of visual enhancements and options for colour, effects and sound. It uses the same Doom3 lighting features as Tenebrae and thus requires a more powerful computer than GLQuake and QuakeForge.

It also supports many otherwise incompatible mods including [Nehahra](#) and [Nexuiz](#), and has improved support for the official mission packs.

Havoc's [file archive](#) can be a little confusing. The large "darkplacesengine" tarballs include precompiled binaries and the game's source code in a second tarball. To compile your own program uncompress the second tarball, type **make** to see a list of possible targets (programs), and select one. For example – to build the OpenGL engine with ALSA sound type **make cl-release**, or to build with OSS sound, **make cl-release DP\_SOUND\_API=OSS**.

Much thanks to Lord Havoc for this great project.

<http://www.icculus.org/twilight/darkplaces>

## 3.3 QuDos Quake Ports

"Here you'll find QuDos' `linuxified` src+bin tarballs for popular quake ports, including that of bjp for Nehahra."

This is great news for gamers. For the first time these engines – including DemonQuake, JoeQuake, NehQuake, Qrack and Tremor – have been ported to Linux. [NehQuake](#) runs [Nehahra](#) much faster than Darkplaces, and [JoeQuake](#) has impressive eye candy.

The tarballs include source code, binaries and in most cases the data files necessary for the engine. To install these data files, find the simply named folders (such as "joequake" or "qrack") inside the tarballs and move them to your quake directory. If they are not present you will have to download them from the game's homepage.

For some of the engines, an additional sound library (which is included) has to be installed. To do this:

---

```
su
cd /usr/lib
mv {some directory}/libfmod-3.74.1.so .
ln -s libfmod-3.74.1.so libfmod.so
ldconfig
```

---

or visit the [FMOD homepage](#) and install the libraries manually.

<http://qudos.quakedev.com/linux/quake1>

## 3.4 MFCN's GLQuake

A great place for Linux noobs to go is Jörgen's no frills site. Here you'll find some relevant documentation and trouble shooting tips, and a basic version of OpenGL Quake for Linux. Fairly pain free by Linux standards, it supports most Quake mods, but gamma (brightness) support is broken.

<http://mfcn.ilo.de/glxquake>

## 3.5 Tenebrae

A Quake engine using lighting techniques similar to those in Doom III. Tenebrae requires a very fast computer and may not be compatible with all hardware (the documentation is a little unclear, and ATI cards may not work). This game only ran at 10 to 50 fps on my Celeron 2400 / FX5600. Interestingly, Tenebrae has an "easter egg". To see this, in the quit game dialog press "d". Also check out the "bumptest" and "zoo" maps.

The Tenebrae [installer](#) will install the shareware Quake levels, and all fancy Tenebrae models and textures, but is a 100 meg download. (Make sure to run the game in 32 bpp mode – see below). Tenebrae binaries may be available [here](#).

Compilation of the source code may not be straight forward. Firstly:

```
cd linux ; ln -s Makefile.i386linux Makefile ; make
```

If compilation fails with `../glquake.h:1137: conflicting types for ....`, lines 1137 and 1138 need removing. You may also have to change the `gethostname` declaration in `net_udp.c` thus:

```
- extern int gethostname (char *, int);  
+ extern int gethostname (char *, size_t);
```

After compilation, copy the binary `"debugi386.glibc/bin/tenebrae.run"` and the Tenebrae data files to your Quake folder. Finally, the game only runs in 32 bpp colours (X11 colour depth 24), so restart X in this mode if you have to, and execute the game with: **tenebrae.run -basedir \$PWD**. Alternatively you can start a new X session with the command:

```
startx $PWD/tenebrae.run -basedir $PWD -- :1 -depth 24
```

<http://tenebrae.sourceforge.net/>

## 3.6 QuakeForge

QF is a comprehensive Linux Quake project. It has elegant graphical enhancements, numerous single player and [QuakeWorld](#) clients and Quake C tools. Amongst it's features are: an overhauled menuing system, a new "heads up display", and in-game help.

Possibly because of it's size, QuakeForge hasn't been updated in years and it's documentation was never quite finished. The usual "configure && make && make install" will build the whole project, but it does not appear to support a minimal single player build option. QuakeForge's default directory is "/usr/local/share/games/quakeforge", so ensure to link to your "id1" directory from here. (For example **ln -s /usr/local/games/quake/id1 /usr/local/share/games/quakeforge/id1**).

For information about building QuakeForge on the BSD Unices, see the [FreeBSD](#) section.

Kudos to the QuakeForge team for a huge project which has provided much inspiration for other open source games.

<http://www.quakeforge.net>

<http://sourceforge.net/projects/quake/>

[QuakeForge subversion repository](#)

## 3.7 NPRQuake

Another Quake engine which has been ported to Linux but, as far as I know, hasn't been touched in a few years is NPRQuake. Notably, it has the ability to load different renderers on the fly (!) which is pretty cool. The [linux port](#) includes support for the cartoon renderer [ainpr](#), and works really well for me.

The [SDL version](#) has rewritten mouse and video code and may work on otherwise troublesome systems. But the sound APIs have not been ported to SDL, so it is not a fully portable engine.

<http://www.cs.wisc.edu/graphics/Gallery/NPRQuake/>

## 3.8 Twilight Project

The Twilight Project "is a set of rather minimalist NQ and QW engines that focus on insane rendering speed, it is however a bit unstable at the moment."

This game is ~quick~, with a plain looking, but useful menu system, so users with a slow computer should definitely give this a go. It also has some unique graphical effects and an unusual user interface.

To compile version 0.2.2 of this project, you'll need the python scripting language installed, and perhaps to make this change to src/nq/pr\_edict.c , line 1108:

```
-             if (progs->ofs_strings + pr_stringssize >= com_filesize)
+             if (progs->ofs_strings + pr_stringssize >= (uint)com_filesize)
```

Executing **scons.py** will now (hopefully) build the binaries, and after copying the single player client (twilight-nq) to your quake directory, type **twilight-nq -basedir \$PWD** to start the game.

If you're having trouble with compilation, version 0.2.01 uses the traditional "configure && make && make install" method, so you may want to try it.

Game saves are an issue with this engine. There are no game save or load menus, and this can only be done using the "F6" and "F9" keys to quicksave and load. Additionally, this feature often won't work if you started with the "map MAPNAME" command, so make sure you begin games in a normal fashion, through the "Start

Game" menu.

<http://icculus.org/twilight>

## 3.9 SDL Quake

This basic version of Quake is not of major interest to Linux users. It's main feature is that it uses the SDL programming API for sound, video and mouse handling, and should run on all SDL supported operating systems without major changes.

SDL Quake does have a bug relating to music: running the game with an audio CD in the cdrom will limit the game's speed. To avoid this simply remove the CD from the drive, or use the **-nocdaudio** option.

The game runs at a fixed resolution – the width and height can't be changed. To play in fullscreen mode, use the **-fullscreen** option.

<http://www.libsdl.org/projects/quake>

## 3.10 wmQuake

WindowMaker is a window manager for X11, and this tiny version of Quake fits in an 64x64 pixel dockable applet!

You can test it out if you don't have WindowMaker, but the game will crash if it gets keyboard focus.

For the curious, this game can be benchmarked with **timedemo demo1** after removing the "usleep" commands from sys\_linux.c.

<http://freshmeat.net/projects/wmquake/>

## 3.11 Software Quake

*For a more in-depth treatment of Software Quake, see the [previous version](#) of this how-to.*

The [original WinQuake source](#) also came with two pixelated versions of the game:

- X Quake (quake.x11)
- Svga Quake (squake)

but compiling them is no longer straight forward. It involves copying **Makefile.linux** to **Makefile**, editing this file to remove the extra targets , replacing **/usr/X11/lib** with **/usr/X11R6/lib** and typing **make build\_release**.

There are easier options though. [TyrQuake](#) and [QuakeForge](#) have software clients, and there is also an old [SDL Quake](#) written by SDL's author, Sam Lantinga, which should work on all modern platforms.

---

## 4. Mods

### 4.1 Mods

There are hundreds of user created levels – known variously as "mods", "total conversions" or simply "maps", all over the internet. When it comes to finding them though, many URLs are no longer valid, and it is easier to just google for a file name (perhaps adding "quake" as an extra search term) than to try and find the project's homepage – which is probably just dust in the ether now.

To run new maps, place the bsp file into the "quake/id1/maps" subdirectory, and start Quake with the **+map MAPNAME** option.

Installing mods is simply a matter of creating a subdirectory DIR and extracting the contents of the mod zipfile/tarball into this directory. It is then loaded by using the **-game DIR** command line option and, sometimes, **+map MAPNAME** where MAPNAME is the mod's start map.

For both maps and mods, all files should be in lowercase format.

Mod lists can be found at [QuakeTerminus](#) and UnderWorld ( [Hall of Fame](#), [Recommended](#)). At the DoomWadStation you'll find a comprehensive [archive](#) of Quake levels.

A few of the author's favourites are:

#### **Soul of Evil**

Gorgeous medieval themed mod with two single player episodes, a melee style arena mode and nice documentation. Many thanks to Tronwyn, Fat Controller and their co-authors. [Link](#)

#### **Nehahra**

Epic. Ambitious. Otherwordly. Nehahra is the definitive Quake mod, supported in Linux by LordHavoc's [Darkplaces](#), and QuDos' port of the NehQuake engine. It has some great models and maps, uses fog effects well, and has an (optional) two hour movie/demo which ties-in well with the original Quake "story-line" but is also in desperate need of an edit.

Nehahra also features improved enemy AI – the grunts strafe behind cover, and scraggs in open space can be very hard to pin down. New gamers may wish to disable this feature by typing **nomonsters 1** at the game console.

[Link](#)

#### **Contract Revoked**

A modern mod which made my jaw drop. It also has ambitious sequels: The Lost Chapters and Quoth. [Link](#)

#### **Zerstörer**

Dark and bloody, with Doom's paranoiac atmosphere – a classic. Zerstörer also has some good death match levels – [zerstorer](#)

#### **Neil Manke's mods**

Neil wrote the definitive Half-Life mod "They Hunger". The quality and fun is in these maps too – alba01, alba02, sofsp1, sofsp2, starshp2, [Link](#)

#### **The Hunted Chronicles**

Another game requiring the Darkplaces engine, the Hunted Chronicles is a zombie shooter/survival mod in two parts. The second uses fog and lighting effects to spooky effect, and could almost be

mistaken for a Half-Life mod. [Link](#)

### **Blood Mage**

... is a dungeons and dragons themed mod with great monsters and music. It's a little dated now, and the numerous spells can be overwhelming – [bmfull](#)

### **Operation: Urth Majik**

Oum is one of the few Quake 1 mods with a sci-fi feel. It's a well made five level mod with cut-scenes and many new weapons – [oum](#), [Link](#)

### **The Coagula Contest 2**

Coagula is a six level compendium of maps originating from a contest. The novelty is that all maps are floating in the ether, and it's a great set. [Link](#)

### **Scourge done Slick**

SdS is a speed run through Mission Pack 1, Scourge of Armagon. Hilarious and amazing. [Link](#)

### **Insomnia**

Cracking game-play and rivers of blood – [czg07](#)

### **Fantasy Quake**

FQ is a traditional medieval themed conversion. The game has some beautiful levels, but also plenty of raw edges as it was never quite finished. (The project ended prematurely when the web hosting hit a snag). Not all the player classes work perfectly. Use the "g" key twice to purchase items, the "<", ">", "/" keys for inventory, and the "w", "e", "r" keys for the grappling hook – [fantasy](#)

Here you can get the long lost Fantasy Quake [manual](#).

### **Gib Factory, Vigil, Museum**

Little mods with great game-play! – [gibfact](#) [vigil](#), [museum](#)

## **4.2 Commercial Mods**

### **Mission Pack 1**

Scourge of Armagon by Ritual Entertainment (formerly known as Hipnotic Interactive). After playing Armagon, you should also check out the [Death's Dominion](#) Level Pack.

### **Mission Pack 2**

Dissolution of Eternity by Rogue Entertainment.

– Both official mission packs are generally acknowledged as better than the original game.

### **Malice**

Very original Quake total conversion, with the greatest (make believe) machine gun I've ever unleashed. Worth paying for.

### **Abyss of Pandemonium**

Commercial mod now freely available: [Link](#)

### **Ravages of Apocalypse**

Xmen mod! Great models. Shame about the game-play. ...When good mods turn bad. This mod has now been released free of charge, and can be found [here](#).

### **Shrak**

One of the first commercial mods. It has well modelled and totally new monsters, but the game-play doesn't cut it anymore.

## **4.3 Mapping tools**

Another first for Quake was the implementation of it's own game language – Quake C. This enables mods to work seamlessly on any operating system. It is possible to install many of the editors which are used to make Quake maps, but creating full scale mods is real voodoo and beyond my knowledge.

**GtkRadiant** is the only currently maintained and Linux friendly world editor I know of. [Link](#)

The **Quake Army Knife** (QuArK) is a multi-purpose Quake editing tool which.. may or may not have Linux support %-(. [Link](#)

...You may be able to find out from the [Func\\_Msgboard](#) – an ongoing hub for Q1 development and new mapping projects.

Bengt Jardrup's [homepage](#) has lots of mod friendly stuff.

[QuakeForge](#) include some Quake C tools with their tarball.

The [Quake Wiki](#) has some relevant links for the windows platforms.

---

## 5. Multiplayer

### 5.1 QuakeWorld

An enhanced Quake engine for on-line and network multiplayer action. It is incorporated into [FuhQuake](#), [ProQuake](#), [QuakeForge](#) and [TyrQuake](#).

### 5.2 FuhQuake

[FuhQuake](#) contains numerous game-play and eye candy enhancements over the original QuakeWorld game. It will still play the original Quake episodes, but the focus is on multiplayer and single player mods won't work. FuhQuake is actively maintained by Fuh and has a loyal following.

### 5.3 XQF and QStat

[XQF](#) is a feature rich game server browser and launcher for Quake and many other games. It is dependent on the separate program, [QStat](#) , which displays information about Internet game servers. You'll also need the Gnome Gtk and Gdk toolkits.

### 5.4 Nexuiz

Nexuiz is a stand-alone game using the Darkplaces engine. The recently released version 2 is a 200 meg download (!) and includes Linux and Windows binaries, source code, and a new campaign mode.

This engine makes use of many advanced lighting features, so users with less powerful video cards should try disabling these to run the game at a decent speed.

<http://www.nexuiz.com>



## 5.5 Digital Paint 2

Paintball comes to Linux !

Digital Paint 2 is an "original" multiplayer game based on the Quake II engine. It's colourful and fun nature is a departure from the usual dark tone of most Quake games. Being a totally remodeled game, it doesn't require you to have the original Quake II ;->.

Single player games are possible by playing against computer bots.

<http://www.planetquake.com/digitalpaint/>

## 5.6 Argonium

This slick looking deathmatch mod is another freely distributable Quake II game.

<http://www.planetquake.com/td/argonium/>

## 5.7 ProQuake

From the ProQuake website: "...What you will find is a rock solid set of enhancements to unmodified netquake. Things that quake should have had from the get go.. like precise aim. Small, simple changes that improve the quality of netplay enormously. ProQuake is fully compatible with standard NetQuake. .... ProQuake is also fully compatible with the advanced features of Clanring CRMod++ version 6.0."

To make ProQuake's GL client, before typing **make**, edit "Makefile" to select the GL client:

```
- TARGETS=$(BUILDDIR)/bin/squake
+ TARGETS=$(BUILDDIR)/bin/glquake.glx
- GLLDFLAGS=-L/usr/X11/lib -L/usr/local/lib -lGL -lX11 -lXext -ldl -lXxf86dga -lXxf86vm -lm
+ GLLDFLAGS=-L/usr/X11R6/lib -L/usr/local/lib -lGL -lX11 -lXext -ldl -lXxf86dga -lXxf86vm -lm
```

Like the original GLQuake, brightness support is broken, and owners of new Nvidia cards may have to apply the Sys\_Printf bug fix.

<ftp://ftp.runequake.com/quake/engines/proquake>

## 5.8 Tremulous

This Quake III mod is a team deathmatch between aliens and humans. Features include attractive sci-fi themed levels, species hierarchies, and the (aliens') ability to scale walls.

<http://tremulous.net>

## 5.9 Battle Mech

Battle Mech is a top down Mechwarrior style mod. Make sure to use the 1.1 tarball.

<http://static.condemned.com/index.shtml>

---

## 6. Trouble-shooting

*Other trouble-shooting resources can be found at: [Jörgen's GLQuake Site](#), the [old version](#) of this how-to, and [Linux Gamers FAQ](#).*

*Often, using an alternative game engine such as [TyrQuake](#), [FuhQuake](#) and [Darkplaces](#) will fix mouse and sound related problems.*

### 6.1 Bash won't start the program

"bash: ./glquake.glx: Permission denied"

- The binary may not have the executable bit set. Type **chmod +x glquake.glx** to fix this.
- If the program is located on a windows partition, it is possible it has been mounted with the **noexec** option.  
Type (as root): **mount -o remount,exec /mnt/windows**

"bash: glquake.glx: command not found"

- Bash may not be including the current directory in it's path. Type: "**export PATH=\$PATH:.**"

### 6.2 Program dies at startup

This is not good, but some simple options to try are:

- – use **-nosound** to test if sound is the problem.  
Sound problems are covered in detail below.
- – use **-noudp** if network is unconfigured.
- – use **-nocdaudio** if cdrom is absent.
- – use **-height**, **-width** and **-fullscreen** command line options to select a screen mode you know is properly configured.  
e.g. **glquake.glx -width 800 -height 600 -fullscreen -nosound**

**Files not lowercased** or **Data files missing**.

Linux Quake requires (most) filenames to be in lowercase. If you get an error similar to "**Error: W\_LoadWadFile: couldn't load gfx.wad**" it means the game can't find the data files, possibly because they are not all lowercase.

- Make sure you have the subdirectory "id1" (not "ID1") containing the files "pak0.pak" and "pak1.pak".
- For a comprehensive lowercase utility, download this [utility](http://filerenameutils.sourceforge.net) or visit <http://filerenameutils.sourceforge.net>.

### "Memory overwrite in Sys\_Printf"

- This error means you need to edit file `sys_linux.c`, procedure `Sys_Printf`, and change `text[1024]` to `text[4096]` and recompile.

Many versions of Quake have what appear to be two versions of this procedure, but one is always commented out. Obviously you'll need to change the value in the correct procedure.

### Problems with GCC 4

- If you're experiencing core dumps and are using version 4.x of the GNU compiler, see [Compilation Issues](#) below.

## 6.3 Program dies loading level

- Many mods require extra memory. Use the `-mem 48` option to allocate 48 meg of memory for the heap.
- A few newer mods just won't work with standard GLQuake, and need an enhanced [game engine](#), though they will generally indicate this in their documentation.
- In some cases, this problem can be sound related. Try some of the tips in the sound section.

## 6.4 Sound Problems

For more information see the [drivers](#) section.

An error such as: `"/dev/dsp: Device or resource busy"` indicates some program is already using your sound card, and you will have to halt this program to get Quake sound effects.

- From the Linux command line, type `killall artsd` or `killall esd` to terminate either of these popular sound daemons.
- Alternatively, to run Quake through the KDE sound daemon, type `artsdsp glquake.glx ...`

"Quake engine games exit, and I see an error about `mmap!`"

- The [Linux Gamers FAQ](#) recommends "Your sound card/driver doesn't support this needed feature. However, if you use KDE/arts you may be able to bypass this with the `-m` switch to the `artsdsp` wrapper".

Make sure the `artsd` program is running by typing `ps -A | grep artsd` and checking that this command returns at least one non-empty line. Then type `artsdsp -m glquake.glx`.

- Try alternative sound drivers as outlined in the [Sound Drivers](#) section.

Sound stutters or is not very good.

- See the sound note in [Compilation Issues](#).
- Try using the `--sndspeed` or `--sndbits` option(s), or swapping sound drivers.

## 6.5 [Compilation Issues](#)

The dynamic nature of GNU/Linux means compiling old software is often hard work, and even small hurdles are impossible for people not experienced in C programming. Below are a few relevant issues.

### **GCC-4.x**

The GNU C compiler has recently had a major revision, and most modern distributions now include GCC-4.1. (To find out which version you are using, type `gcc --version`). The author used GCC-3.2.2 to make this How-To, and people using GCC-4.x may find extra problems when compiling programs:

#### **Warnings**

GCC-4.x issues many more compilation warnings than 3.x. These are small errors that can generally be ignored, but when the compiler is given the `"-Werror"` flag, warnings will bring everything to a halt. To fix this you can safely remove the `"-Werror"` from the program's Makefile.

#### **Slurred Sound**

Yet another sound issue. This common problem is fixed by altering `snd_mix.c` thus:

```
-          snd_scaletable[i][j] = ((signed char)j) * i * 8;
+          snd_scaletable[i][j] = ((j < 128) ? j : j - 0xff) * i * 8;
```

#### **Optimizations**

GCC-4.0 in particular had a problem with `"-O"` flags breaking some variable type-casting. If you are able to compile the program, but it segfaults, try disabling these optimizations by removing the `"-O"` options from any makefiles.

If you are having troubles compiling with GCC-4 which weren't there previously, it's possible to install GCC-3.x alongside 4.x. Most people will want to look for precompiled packages from their Linux distribution.

Once GCC-3.x is installed, the program must then be told to compile with this version rather than the default 4.x. Projects that come with configuration scripts will often have options for defining which compiler to use (type `./configure --help` and look for hints), and other times you be able to use `export CC=gcc32` or edit the Makefile and replace occurrences of `"gcc"` with `"gcc32"` (or `"gcc-3.2.2"`, etc) manually.

## **Nvidia Drivers**

The latest Nvidia drivers can also cause headaches. Recently they have started installing their own OpenGL headers by default, which has lead to some conflicting variable declarations. This is fixed by removing them, or by uninstalling the drivers (with `nvidia-installer --uninstall`) and re-installing with the `"--no-opengl-headers"` option.

## 6.6 Other Issues

### Game is too dark

If changing the brightness setting in the options menu doesn't work, you can use the **xgamma** program to brighten the whole display.

- ◇ Type **xgamma -gamma VALUE** before running the game, where VALUE is a number larger than 1. When you've finished, use **xgamma -gamma 1** to restore the brightness.

This tip will not work with poorly supported hardware. For Voodoo 1/2 users, visit [here](#) for more information.

### Mouse look

"This game won't let me look around properly. %\$!\$@"

- ◇ Bring down the game console with the "~" key and enter **+mlook**.

### Mouse doesn't work properly

Try the following –

- ◇ Start the game in fullscreen mode by using the **-fullscreen** option.
- ◇ From the game console, type **\_windowed\_mouse 1**
- ◇ If you're using fluxbox, try another window manager. Fluxbox has issues with some games in fullscreen mode.
- ◇ If still without success, try the [NPRQuake](#) or [Darkplaces](#) SDL clients. Typing **export SDL\_VIDEO\_X11\_DGAMOUSE=0** before starting the game will disable hardware dga mouse.

### Game saves fail / Options not remembered

If you are running Quake as a normal user and experiencing these problems it's probably due to having insufficient privileges to write to the game directories. Solutions include:

- ◇ Run the game as super user: Type **su** and enter root's password before typing **glquake.glx ...** to start the game.
- ◇ Change the game file permissions. Unix operating systems have strong security preventing unauthorized or accidental file changes. The simplest way to overcome this in a single user environment is to become super user and change ownership of the quake directory with (as root): **chown -R USERNAME /usr/local/games/quake**. However it is recommended users read the **chmod** and **chown** man and info pages to better understand Unix file permissions.
- ◇ In full multi-user environments it is recommended using the [Darkplaces](#) or [QuakeForge](#) game engines, which correctly place per-user data in their home directory.

Quake uses a confusing method of saving and restoring game options, especially when playing add-ons, and game options sometimes have to be reinitialized even though file permissions are not an issue. In such cases, the author can offer no simple advice %-/.

### Crazy polygons

Some mission-packs/mods for Quake can cause existing player/monster models to be drawn with lines all over the place. To fix this, delete the directory "quake/id1/glquake". When you next run the game, it will remake this directory and everything should be fine.

### Lines on screen

A common problem with 3dfx cards is a shower of flickering lines on the screen.

◊ From the game console, type **gl\_ztrick 0**.

### Other graphical anomalies

Some Quake engines use an OpenGL speed-up known as multitexturing. This normally works fine, but if you are experiencing glitches you can disable this feature with the **-nomtex** option.

Older video cards may occasionally draw models in all white. See the PlanetQuake [command list](#) for in-game GL variables to fine tune performance.

### Glibc Problems

Some Linux software come as a Loki Installer shell archive with a ".run" suffix. The following tip is from the Icculus Gamers Faq:

Q: I'm using {random loki\_setup based installer}, and it's telling me the "installation do

A: Just type the following before running setup.sh [or the installer]: export SETUP\_LIBC=g

## 6.7 Video Drivers

Setting up hardware GL acceleration under Linux used to be a big deal, but modern distros should now handle this automatically. Of course there are exceptions...

Nvidia's drivers for all of their modern video cards are not open source. Because of this many distributions do not include them. If your Nvidia card is running slowly this is probably the cause and you should visit <http://www.nvidia.com> to download the Linux installer. In the author's experience these drivers are great, but not all versions work 100% with all cards and kernels. If you have a misbehaving Nvidia video card, try a different driver.

While new versions of XFree and Xorg have great support for Voodoo 3, 4 and 5, early 3dfx hardware such as Voodoo1, Voodoo2 and Rush are no longer hardware accelerated. To get OpenGL working for these cards, you'll need to download, install and/or compile the software libraries called Glide and Mesa. [Here](#) is a detailed README on old 3dfx cards.

### Links

<http://www.x.org>

[Linux Gamers ATI How-To](#)

[Linux Gamers Nvidia How-To](#)

## 6.8 Sound Drivers

There are two major Linux sound systems – Open Sound System and ALSA. If you are experiencing sound problems and the trouble-shooting section hasn't helped, you may consider changing the sound driver. This can be hard work, and is only for experienced users.

To ascertain which driver you are currently using, type **lsmod** to list currently loaded kernel modules. The ALSA sound modules have verbose names starting with "snd\_", while the OSS modules have more terse names. For example, the ALSA Sound Blaster Live module is "snd\_emu10k1", while the OSS module is

"emu10k1". Since Linux kernel 2.6, ALSA has been the standard sound system, while 2.4 and earlier were more likely to come with OSS sound.

Information about ALSA can be found at the [Alsa Homepage](#) and Linux Journal's [Guide to ALSA](#).

For those already with ALSA wishing to try the OSS modules, a [kernel recompile](#) is probably necessary.

---

## 7. Quake Sequels

### 7.1 Hexen II

Hexen II is a colourful adaption of the Quake engine, and in terms of source code and theme is much closer than Quake II to the original game. Unfortunately, [Raven Software](#) released the game with many rough edges... So beautiful, yet so cruel.

[Hammer of Thyron](#) is the main Linux Hexen II port , and has had much work done towards squishing bugs and enhancing the OpenGL graphics. While it is not as widely distributed as Quake, the HoT demo includes some of the game's best levels and is available from the Sourceforge [project page](#).

### 7.2 Quake II

Quake II is the sci-fi themed sequel to Quake. Early Linux releases weren't very solid, especially the mouse handling, but there is now a few related projects to choose from.

[QuDos' Quake II](#) is the most notable. It is based on [Icculus Quake II](#), and includes some beautiful graphical enhancements – including cell shading – and support for FreeBSD and XMMS plugins. Another project still in development is [Quetoo](#) which has speed and security enhancements, but also a very stripped back interface and a few bugs.

Older projects include Michael Olson's [source](#) and [binary](#) rpms (which appear to be based on an old Icculus release) and the [QuakeForge Quake II](#) project with support for multiple operating systems. On a slightly different note – the [Jake2](#) project is a version of Quake II written in Java.

The multiplayer mods [Digital Paint 2](#) and [Argonium](#) are also based on Quake II.

*See the [old version](#) of this how-to for Quake II troubleshooting tips.*

### 7.3 Quake III Arena

The third Quake installment was a landmark multiplayer game, with some of the most beautiful and well balanced fragging ever. It was one of the first games to receive a full Linux commercial release.

Most mods should work. The Linux Gamers FAQ reports:

```
Yes, ... modifications work in Linux as long as they are compiled to the
Quake III ... VM bytecode as advised by id software. ... modifications
compiled to Windows library files will not work.
```

The retail add-on Quake III Team Arena is supported and, despite never getting rave reviews, is a great game.

## Open Source Projects

Icculus [Quake III Project](#)

Sourceforge [Quake III – Cell Shading](#)

## Mods

[The Dark Conjunction](#) is an atmospheric Q3 single player conversion.

Or try the alien themed [Tremulous](#) for an original multiplayer mod.

## Links

The Zerowing [installation](#) and [known issues](#) guides hosted by ID Software.

Linuxgamer's [Quake III Howto](#).

Linux Questions' Quake III forums for [Sound](#) and [Mouse](#) problems.

All things Quake III at [Planet Quake](#)

## 7.4 Quake IV

Quake IV is an epic FPS from the awesome [Raven Software](#). It is based on the Doom–III engine and has high hardware specs: A 2GHz P4 (or AMD equivalent) and 512meg ram are the official minimum requirements. It's a beautiful game which should really be played with the graphical settings set to "medium" or "high". For this reason the author recommends against using entry level cards such as the FX5200.

The game runs well under Linux, but still has a couple of issues:

- Quake IV only runs in 32 bpp colours (X11 colour depth 24), so restart X in this mode if you have to. Attempting to run in 16 bpp colours will give you an error message like: **Couldn't find matching GLX visual ..... Sys\_Error: Unable to initialize OpenGL**. Alternatively you can start a new X session with the command:  

```
startx `which quake4` -- :1 -depth 24
```
- The Alsa sound libraries are used by default. To start with OSS sound , type:  

```
quake4 +set s_driver oss
```
- The Quake IV DVD Edition comes with several promotional movies. Although the movies appear to be Windows executables, they are in fact Bink videos, and can be viewed with the [Linux Bink Player](#).
- Apart from demanding a quality video card and CPU, the author found 512meg ram to be slightly insufficient and performance wasn't great. The game ran better after placing the kernel's swap file on a different hard–drive from the game. To do this, once you have the second disk installed and partitioned, type (for example)

```
swapoff -a  
mkswap /dev/hdb2  
swapon /dev/hdb2
```

if hdb2 is the new swap partition.



## Links

The [Official Linux Faq](#)

Linux Questions [Quake IV bug forums](#)

[Quake IV demo](#)

---

## 8. Other

### 8.1 [Transparent Water and Vispatch](#)

The game variable "r\_wateralpha" allows for water transparency – but most maps don't have the necessary "vis" information. There are two ways to get this. After setting **r\_wateralpha** < 1.0, issuing the console command **r\_novis 1** enables the game to calculate it's own vis information at the penalty of cpu cycles. Alternatively, vispatch is a utility that patches your Quake/QuakeWorld levels to support transparent water.

To do this you'll need the [vispatch utility](#), as well as the [vispatch data files](#) for the game you are patching.

Vispatch was originally written by Andy Bay but has not had much support since and is finicky to use. Old Linux binaries on the web won't work, and the utility itself has a rigid structure. To patch the main data files in "id1" – from your Quake directory – type **vispatch -dir id1 -data id1.vis**

[Vispatch Homepage](#) (outdated)

### 8.2 [Nvidia Tweaks](#)

These tweaks are for users with a GeForce video card (or better) and Nvidia's proprietary drivers. They are accessed using the bash command **export {variable}={value}** and then starting the Quake engine from the same command line. Alternatively, recent drivers have a **nvidia-settings** command which starts up a user-friendly control panel.

*Full details of these tweaks are in the Nvidia README, normally installed at  
"/usr/share/doc/NVIDIA\_GLX-1.0/README"*

#### Full Screen Antialiasing

**export \_\_GL\_FSAA\_MODE={value}**

video card	effect	value
=====	=====	=====
all	disable	0
-----	-----	-----
GeForce, GeForce2	1.5x1.5 Supersampling	3
	2x2 Supersampling	4
-----	-----	-----
GeForce4	2x Bilinear	1
	2x2 Supersampling	4
-----	-----	-----
GeForce3, GeForce4 Ti,	2x Bilinear	1
GeForce FX	4x Bilinear	4
-----	-----	-----

#### Synchronize Picture Redraw

**export \_\_GL\_SYNC\_TO\_VBLANK=1**

Synchronizes GL output with your monitor's vertical refresh, giving a more stable image especially on slower video cards.

## 8.3 FreeBSD

The author has limited experience with this OS and currently uses FreeBSD 5.3 with Nvidia's proprietary drivers. Darkplaces and Hammer of Thyrion work well with this system.

QuDos has recently ported several engines to Linux and has recently started work on FreeBSD compatibility. His great Quake II project is also now BSD friendly.

For basic GLQuake support, you can find a hacked FreeBSD binary and source tarball [here](#).

QuakeForge is a comprehensive Quake project, but may have installation issues with newer FreeBSD releases. The memory allocator routine "alloca" is not correctly detected on FreeBSD 5.3. The fix is, after running "configure", to add "#define C\_ALLOCA 1" to "include/config.h" and undefine other ALLOCA variables. Another issue is the opening of plugins. If the project builds, but you can't get the console or menus, you may have to enable static plugins using **configure LDFLAGS=-lpthread --with-static-plugins**.

## 8.4 QNX

QNX is a commercial real-time operating system, probably most notable to hobbyists as being a successful microkernel OS. SDL Quake-1.0.9 compiles and runs on QNX-NC-6.2.1 after running **configure --host=QNX** and then making these changes:

```
Makefile:  -LIBS =  -L/usr/local/lib -lSDL -lm -lph -lasound
           +LIBS =  -L/usr/local/lib -lSDL -lm -lph -lasound -lsocket
net.h:      -extern unsigned long htonl (unsigned long hostlong);
           -extern unsigned long ntohl (unsigned long netlong);
sys_sdl.c:  -#include <sys/shm.h>
           -int psize = getpagesize();
           +int psize = _SC_PAGESIZE;
```

## 8.5 Quake Inspired XTerms

Quake's in-game console is a great feature and has been adopted by many other games. Now you can also use the 'tilda' key to access X terminal windows. Both Yakuake and Tilda are projects inspired by this idea.

Unfortunately neither are easy to install from source. Yakuake is a KDE application and needs the KDE development packages, and compiling Tilda is more complicated. It requires a couple of unusual libraries, and gave this author compilation errors, so perhaps looking for a RPM package is a better choice. The author can recommend Yakuake as a very handy X terminal.

## 8.6 Miscellaneous

- Because of the way the original game renders the sky, any map with numerous outdoor enemies suffers a big performance hit.

- You can jump further when strafing than when going forward or back 8–)
- The **timedemo demo1** command is a great way to benchmark your system.
- Rocket–jumping is the technique of using a rocket or grenade explosion to jump further than normal. For a demonstration see the Scourge done Slick speed run.
- Popular games derived from the Quake engine include – Return to Castle Wolfenstein, Half–Life, Star Trek Voyager – Elite Force, Soldier of Fortune, American McGee's Alice, and – distantly – Doom III.

## 8.7 Quotes

- John Carmack –  
"At this time (march '97), the only standard opengl hardware that can play glquake reasonably is an intergraph realizm, which is a VERY expensive card"
- From the original Quake How–To –  
"Hardware–accelerated OpenGL Quake is Quake the way God intended it to be. There is no substitute, and once you've experienced it there's no going back."
- Func Message Board –  
"... This Will Produce A Fully Functional Bouncing, Exploding Zombie."  
Sounds like fun :)
- Quake Wikipedia –  
"Quake and its three follow up games, Quake II, Quake III Arena and Quake 4 (which many do not regard as true sequels), have sold over 4 million copies combined. In 2005, a version of Quake was produced for mobile phones."
- Moby Games  
(by Pathogen)  
"... Quake was the first FPS to introduce realistic lighting and shadows. Of course, this came at a price. Quake has taken a lot of flak because it's all dull brown and grey. This was necessary because it was the only way to get the lighting to work properly. Since each surface needs a wide variety of reserved colors for displaying darkened/brightened portions of the surface, the game was limited to just a few colors and all their respective shades."  
(by Ashley Pomeroy)  
"Almost incidentally, Quake introduced the now–standard concept of a FPS 'console', and popularised 'mouselook' as *\*the\** absolute standard control interface. Although the specifications required a Pentium, Quake ran acceptably well on a 486 DX4/100"
- Slashdot Tenebrae Forum –  
  
... this ... now officially labels this guy as a badass graphics programmer. I can hear it  
  
MR. BURNS: "I need a programmer! Get John Carmack on the line!"  
SMITHERS: "He's unavailable sir."  
MR. BURNS: "Then get me his non-union Belgian equivalent!"

## 8.8 Links

### **ID Software**

<http://www.idsoftware.com>

### **The Linux Game Tome**

<http://www.happypenguin.org>

### **Icculus**

<http://www.icculus.org>

### **Icculus Gamers FAQ**

<http://www.icculus.org/lgfaq>

### **Linux Gamers**

<http://www.linux-gamers.net>

### **Planetquake**

<http://www.planetquake.com/quake1>

### **Quake Terminus**

<http://www.quaketerminus.com>

### **Retro Quake**

<http://www.planetquake.com/retroquake/quake/index.html>

### **Quake Basics**

<http://www.quaketerminus.com/quakebible/index.htm>

### **Quake Wikipedias**

<http://wiki.quakesrc.org/index.php/HomePage>, <http://en.wikipedia.org/wiki/Quake>

### **Jörgen's GLQuake Site**

<http://mfcn.ilo.de/glxquake>

### **Quake Forge**

<http://www.quakeforge.net>

### **Darkplaces Game Engine**

<http://www.icculus.org/twilight/darkplaces>

### **Linux Hexen II project**

<http://uhexen2.sourceforge.net>

### **SDL – Cross platform hardware API**

<http://www.libsdl.org/>

### **ALSA – Linux sound project**

<http://www.alsa-project.org>

### **Lowercase utility**

<http://filerenameutils.sourceforge.net>

### **Func\_Msgboard – message board from hell ...no, I mean it**

<http://www.celephais.net/board/forum.php>

## 8.9 Glossary

### **ALSA**

[Advanced Linux Sound Architecture.](#)

### **API**

Application Program Interface. The computer libraries which are used when programming, and link the game to the hardware.

### **Bot**

A computer generated player with artificial intelligence (cough), in a multiplayer game. Used to play multiplayer when no-one's around or not connected to a network.

### **Client**

This word is used in two subtly different ways. In single player, the Quake game is known as a client, with different clients using their own graphics libraries (for example, the GL client "quake.glx" or the X11 client "quake.x11"). The usage is similar in multiplayer games, but also means the per-user program which connects to a single "server" program which lets all the players exist in the same world.

#### **FPS**

First Person Shooter. A shooting game viewed from the "first person" perspective.

#### **Mod**

Modification to the original Quake game varying from a complete game overhaul (total conversion) to simple map/model reworks. Quake was designed to allow for ease of platform portability with it's own computer language "Quake C" giving mappers control over most every aspect of their Quake world.

#### **Noob**

Newbie. Someone new to a computer related topic.

#### **Patch**

A software patch (or diff) is a single file used to alter a source code tree before compilation. It is often used to fix bugs or add new features that the original author didn't include.

Usage of the GNU patch utility is of the form **patch [--dry-run] -pNUM <FILE** where NUM is the number (usually 0 or 1) of directories to strip from the patch file. This number is not obvious except to unix gurus, but using the "--dry-run" option will let you test run patch so you can find the correct NUM. ...Using the wrong number will make patch output all sorts of cryptic messages which can be terminated with a **control-C** character.

Of course you could always type **man patch** and learn for yourself how to use this powerful unix command. ;-/

#### **SDL**

Simple DirectMedia Layer cross platform hardware API widely used in Linux games.

#### **Segfault**

A broad term indicating a program is faulty and terminated abruptly. Depending on the bash shell's **ulimit -c** setting, a dump of the program's image (coredump) may be left behind for examination with the GNU debugger (GDB).

#### **Server**

A program central to multiplayer games to which every player connects.

#### **Tarball**

An archive file such as **somefile.tar** created by the "tar" program. It is often compressed using the programs "gzip" or "bzip2", in which case it will normally end in the letters **.gz** or **.bz2**. The extension **.tar.gz** is often shortened to **.tgz**.

## **8.10 Credits**

Thanks to:

- The Linux Documentation Project.
- Linus Torvalds for hacking together his free operating system kernel.
- ID Software.
- O. Sezer for pointers to some of the many things I'm clueless about.
- Quake modders great and small.

This webpage was constructed using Linuxdoc-Tools-0.9.20 (currently unmaintained), Vim and Bash.

## 8.11 Todo

impulses, ezquake.

## 8.12 Changelog

### 2.04 (November 2006)

Added some troubleshooting hints for Quake IV.

A new section for (gcc-4.1) compilation issues.

Links to the Quake III Cell Shading project.

### 2.03 (July 2006)

Changed order of game engines, added extra compilation notes, and expanded the Tenebrae, SDLQuake and wmQuake sections.

New multiplayer entries for ProQuake, XQF and Tremulous.

Reorganised several categories in the "Other" section, including new Nvidia Tweaks, License, Changelog and Vispatch sections.

Updated the author's patched Tyr-Quake binary, with a few new hacks added to TyrQuake-0.54.

Some small changes to the featured mods.

### 2.02 (February 2006)

## 8.13 License

This document is released under the GPL.

## 8.14 Other Formats

The Quake How-To is also available as a [text file](#) and a [single html file](#).

The latest version should be available [here](#).

Version v1.0.1.14 (30 August 1998) of the Quake How-To is located at the [original author's site](#).

## 8.15 Author

Steven A.

[Sourceforge user page](#)

[Email](#)

---